

# FIORINO

# FIAT

PROFESSIONAL

Model Code	Range	cc	m <sup>3</sup>	Payload (kg)	Gear	bhp	KW	Max. torque	CO <sub>2</sub> WLTP	Consum. (L/100Km) WLTP	Price on the Road (€)
225.3LU.2	L1	1248	2.5	600	5F	80	59	200	116 - 120	4,4 - 4,8	<b>€17,500</b>
225.3LV.2						95	70				<b>€17,900</b>
225.3CU.2	COMBI		TBC	280		80	59		118 - 121	4,5 - 4,6	<b>€19,900</b>

Basic Equipment		Optional Equipment	
008	Remote Controlled Central Locking	029	Rear Window Defroster, must have 519 & 101 €110
009	ABS	101	Rear Wiper, must have 519 & 029 €30
011	Height Adjustable Steering Wheel	055	2 <sup>nd</sup> Sliding Side Door (Driver Side) €280
014	Power Steering	199	Glazed Bulkhead €150
025	Air Condition	1RB	7" touchscreen Radio (Bluetooth - USB - DAB), must have 245 €680
028	Front Electric Windows	1RC	7" touch screen Radio (Bluetooth - USB - DAB - NAV), must have 245 €850
029	Rear Window Defroster, only for Combi	245	Radio Controls on the Steering Wheel €170
041	Electrical Drive External Rear View Mirror with Defrost	416	Cruise Control €330
048	Adjustable headlights	505	Side Airbags €240
0M2	Outdoor Temperature Sensor	508	Rear Parking Sensors €180
101	Rear Wiper, not available for Van, available only for Combi	519	Double Glazed Rear Doors, must have 029 & 101 €150
130	Automatic Closing Doors on the Go	56K	Bulkhead for Combi-Category N1- (Light) €110
132	Front Seat Armrest, not available for Combi	798	Lining covering the cargo area (PVC) €80
149	Full Width Bulkhead, not available for Combi	980	Full-Size Spare Wheel €180
297	Single Passenger Seat with Adjustable backrest	9U5	Day Running Lights (DRL), must have 347 €95
352	Fuel Cap with Key	347	Dusk and Rain Sensors, must have 9U5 €105
392	ESC System (ABS+EBD+HBA+ASR+MSR+ESC+Hill holder)	990	Rear Mudflaps €250
406	15" steel wheel with center cap		
40Y	Driver's Seat Lumbar adjustment, not available for Combi		
416	Cruise Control, optional for Combi		
450	Height Adjustable Driver's Seat, not available for Combi		
499	Repair Tire Kit (Fix & Go), replace the spare wheel		
500	Driver's Airbag		
502	Passenger Airbag		
523	Sliding Side Door (Passenger side)		
552	Sound / Smell Proofing Bulkhead, not available for Combi		
57E	Independent Load Compartment Door Opening		
55D	Glazed Kit Windows (Side Sliding Doors), only for Combi		
55R	195/65 R15 Class A Tires		
66M	Start & stop / Eco pack		
6QD	DAB Radio Preparation		
798	Lining covering the cargo area (PVC), only for Combi		
823	12V Current Socket		
876	Painted bumpers (Grey), only for Combi		
878	Full Plastic Wheel Covers, only for Combi		
83X	Power Socket with USB Output, not available for Combi		
LAX	Front Passenger Seat Belt Alert		
631	ISOFIX for rear seats, only for Combi		
F01	Rear Swing Doors		
F02	Local Fitted Radio with Bluetooth, USB, Aux		
2XN	Specific Bulkhead for Combi, not available for Van		




# FIORINO

# FIAT

PROFESSIONAL

DIMENSIONS (mm)	
Wheelbase	2513
Maximum length	3957
Maximum width (without mirror)	1716
Front wheelbase	1469
Rear wheelbase	1465
Max height (unladen)	1721
Front overhang	854
Rear overhang	590



DIMENSIONS (mm)	
Length (mm)	1523
Width (mm)	1473
Width between wheel arches (mm)	1046
Height (mm)	1205
Loading height (mm)	527
Cargo capacity (m3)	2.5
SIDE SLIDING DOORS	
Width (mm)	min. 570 / max. 644
Height (mm)	1041
REAR TAIL DOUBLE DOORS	
Width (mm)	min. 1056 to 1140
height (mm)	1040/1060



Pastel Paint				VAN	COMBI
-	249	Bianco Santerellina		S	S
Metallic Paints (Opt 210)					
210	293	Rosso Esuberante		€600	€600
210	612	Grigio Garbato		€600	€600
210	695	Grigio		€600	€600
210	333	Nuovo Azzurro		€600	€600

# FIORINO

# FIAT

PROFESSIONAL

SPECIFICATION		1.3 16v MultiJet			
Engine	Panel Van		Combi N1		
Number of cylinders, arrangement	4, in-line cylinder				
Valve control	2 overhead camshafts with hydraulic tappets				
Number of valves	16				
Displacement (cc)	1,248				
Torque in Nm at min <sup>-1</sup>	200 at 1500				
kW (hp)	59 (80)	70 (95)	59 (80)	70 (95)	
Compression ratio	16.8:1				
Fuel type	Diesel (EN 590)				
Fuel system	MultiJet direct injection electronic Common Rail with variable geometry turbocharger and intercooler				
Emission control	Diesel particulate filter				
Emission standard	Euro 6 D temp with DPF and Start&Stop				
<b>Transmission, Clutch, Drive</b>					
coupling	Hydraulic Single-disc dry clutch				
transmission	Five-speed manual gearbox + Reverse gear				
drive	Front-wheel drive				
<b>Steering</b>					
Type	Rack and pinion steering gear with hydraulic Support				
turning circle in m	9.95				
<b>Suspension</b>					
Front	Independent suspension with McPherson struts, wishbones, and stabilizer bar				
Rear	Torsion beam axle with coil springs				
Allowed axle load in front	900		900		
Allowed axle load rear	950		950		
<b>Wheels</b>					
Tires	195/65 R 15				
<b>Consumption</b>					
Top speed (mph)	162	167	161	167	
Consumption combined in l/100 km	4.8 - 4.4		4.6 - 4.5		
CO <sub>2</sub> emission, combined (g/km)	120 - 116		121 - 118		

Specifications are based on the latest product information available at the time of publication

Some features and/or applications may be late availability

Specifications and Prices are subject to change at any time without notice and do not bind the company in any way (May, 2023)

The values indicated for fuel consumption and CO<sub>2</sub> emissions are measured by the manufacturer on pre-approval tests, according to the WLTP procedure (EU Regulation 2018/1832), and may be subject to modification depending upon the definitive homologation

